

Länkar till studier avseende BEMER som finns i databasen PubMed

1. [Effects of various physical treatment methods on arteriolar vasomotion and microhemodynamic functional characteristics in case of deficient regulation of organ blood flow. Results of a placebo-controlled, double-blind study.](#)
Klopp RC, Niemer W, Schmidt W.
J Complement Integr Med. 2013;10(Suppl):S39-46. doi: 10.1515/jcim-2013-0035.
PMID: 24021606
2. [Complementary-therapeutic stimulation of deficient autorhythmic arteriolar vasomotion by means of a biorhythmically physical stimulus on the microcirculation and the immune system in 50-year-old rehabilitation patients.](#)
Klopp RC, Niemer W, Schulz J.
J Complement Integr Med. 2013;10(Suppl):S29-37. doi: 10.1515/jcim-2013-0034.
PMID: 24021604
3. [Influence of a specific, biorhythmically defined physical stimulus on deficient vasomotion in small-caliber arterioles in the subcutis in patients with diabetic polyneuropathy.](#)
Klopp RC, Niemer W, Schulz J, Ruhnau KJ.
J Complement Integr Med. 2013;10(Suppl):S21-7. doi: 10.1515/jcim-2013-0033.
PMID: 24021603
4. [Effects of physical stimulation of spontaneous arteriolar vasomotion in patients of various ages undergoing rehabilitation.](#)
Klopp RC, Niemer W, Schulz J.
J Complement Integr Med. 2013;10(Suppl):S13-9. doi: 10.1515/jcim-2013-0032.
PMID: 24021602
5. [The technological development history and current significance of the "physical BEMER® vascular therapy" in medicine.](#)
Bohn W.
J Complement Integr Med. 2013;10(Suppl):S1-3. doi: 10.1515/jcim-2013-0036. No abstract available.
PMID: 24021601
6. [The effects of the "physical BEMER® vascular therapy", a method for the physical stimulation of the vasomotion of precapillary microvessels in case of impaired microcirculation, on sleep, pain and quality of life of patients with different clinical pictures on the basis of three scientifically validated scales.](#)
Bohn W, Hess L, Burger R.
J Complement Integr Med. 2013;10(Suppl):S5-S12. doi: 10.1515/jcim-2013-0037.
PMID: 23940071

7. [Synergistic effect of EMF-BEMER-type pulsed weak electromagnetic field and HPMA-bound doxorubicin on mouse EL4 T-cell lymphoma.](#)
Říhová B, Etrych T, Šírová M, Tomala J, Ulbrich K, Kovář M.
J Drug Target. 2011 Dec;19(10):890-9. doi: 10.3109/1061186X.2011.622403. Epub 2011 Oct 10.
PMID: 21981636
8. [Effect of BEMER magnetic field therapy on the level of fatigue in patients with multiple sclerosis: a randomized, double-blind controlled trial.](#)
Piatkowski J, Kern S, Ziemssen T.
J Altern Complement Med. 2009 May;15(5):507-11. doi: 10.1089/acm.2008.0501.
PMID: 19422286
9. [Effects of weak, low-frequency pulsed electromagnetic fields \(BEMER type\) on gene expression of human mesenchymal stem cells and chondrocytes: an in vitro study.](#)
Walther M, Mayer F, Kafka W, Schütze N.
Electromagn Biol Med. 2007;26(3):179-90.
PMID: 17886005
10. [Long-term Effects of Bio-electromagnetic-energy regulation Therapy on Fatigue in Patients With Multiple Sclerosis.](#)
Ziemssen T, Piatkowski J, Haase R.
Intern Ther Health Med. 2011 Nov-Dec;17(6):22-8.
PMID: 22314716
- 11. Effects of weak, low-frequency pulsed electromagnetic fields (BEMER type) on gene expression of human mesenchymal stem cells and chondrocytes: an in vitro study.**
Walther M1, Mayer F, Kafka W, Schütze N.
Electromagn Biol Med. 2007;26(3):179-90.
PMID: 17886005 DOI: 10.1080/15368370701580814
<http://www.ncbi.nlm.nih.gov/pubmed/17886005>
- 12. Effectiveness of pentoxifylline and of bio-electromagnetic therapy in lower limb obliterative arterial disease.**
Bernát SI.
Orv Hetil. 2013 Oct 20;154(42):1674-9. doi: 10.1556/OH.2013.29693. Hungarian.
PMID: 24121220
<http://www.ncbi.nlm.nih.gov/pubmed/24121220>

13. Effects of physical stimulation of spontaneous arteriolar vasomotion on microcirculation and the immune system in diabetes and impaired wound healing.

Klopp R, Schulz J, Niemer W, Ruhnau KJ.

Z Gerontol Geriatr. 2014 Jul;47(5):415-24. doi: 10.1007/s00391-013-0567-8. German.

PMID: 24271148

<http://www.ncbi.nlm.nih.gov/pubmed/24271148>

14. BEMER Therapy Combined with Physiotherapy in Patients with Musculoskeletal Diseases: A Randomised, Controlled Double Blind Follow-Up Pilot Study.

Gyulai F, Rába K, Baranyai I, Berkes E, Bender T.

Evid Based Complement Alternat Med. 2015;2015:245742. doi: 10.1155/2015/245742.

Epub 2015 May 20.

PMID: 26078768

<http://www.ncbi.nlm.nih.gov/pubmed/26078768>